


















Classification of uterine anomalies



Francesco Leone

Department of Obstetrics and Gynaecology, Clinical Sciences Institute L. Sacco, University of Milan

<p>Normal uterus Class U0</p>				<p>In presence of a straight or curved interstitial line but with an internal indentation at the fundal midline $<50\%$ of the uterine wall thickness</p>
<p>Dysmorphic uterus Class U1</p>		 <p>a. T-shaped</p>	 <p>b. Infantilis</p>	<p>In presence of a normal uterine outline but with an abnormal shape (excluding septa), characterized by a narrow uterine cavity</p>
<p>Septate uterus Class U2 <i>Partial</i></p>				<p>In presence of a normal uterine outline but with an internal indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U2a) or fully (U2b) the uterine cavity</p>
<p>Septate uterus Class U2 <i>Complete</i></p>				<p>In presence of a normal uterine outline but with an internal indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U2a) or fully (U2b) the uterine cavity</p>
<p>Bicorporeal uterus Class U3 <i>Complete</i></p>			<p>In presence of a uterus with an abnormal fundal outline with an external indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U3a) or fully (U3b) the uterine corpus above the level of the cervix</p>	
<p>Hemi uterus Class U4</p>			 <p>With rudimentary cavity</p>	<p>In presence of a unilateral uterine development, with the contralateral part incompletely formed (with or without a communicating functional horn) or absent</p>

SCHEMATIC REPRESENTATION AND ULTRASOUND FRONTAL VIEW

Class U2: Internal indentation $>50\%$ of the uterine wall thickness and external contour straight or with indentation $<50\%$

Class U3: External indentation $>50\%$ of the uterine wall thickness

Class U3b: Width of the fundal indentation at the midline $>150\%$ of the uterine wall thickness

© 2018 General Electric Company - All rights reserved.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information. GE and the GE Monogram trademarks of General Electric Company. GE Healthcare, a division of General Electric Company. GE Medical Systems, Inc., doing business as GE Healthcare.

August 2018
JB60328US